



Cell 4.8 FWC CPA

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Examiner : A.M.S. Beckerleg Wehbe
Group Art Unit : 1632
Applicants : R. Kucherlapati et al.
Application No. : 08/923,138 Confirmation No.: 2306
Filed : September 4, 1997
For : GENERATION OF XENOGENEIC ANTIBODIES

New York, New York
September 24, 2002

Hon. Commissioner for Patents
P.O. Box 2327
Arlington, Virginia 22202

RECEIVED

OCT 02 2002

TECH CENTER 1600/2900

INFORMATION DISCLOSURE STATEMENT

Sir:

Pursuant to 37 C.F.R. §§ 1.56 and 1.97, applicants make
of record the following documents:*

U.S. Patents

<u>Applicant</u>	<u>Patent No.</u>	<u>Issue Date</u>
Boss et al.	4,816,397	March 28, 1989
Bertling	4,950,599	August 21, 1990
Taketo	4,959,313	September 25, 1990

* A complete Form PTO-1449 (submitted in duplicate) listing
these documents is attached hereto.

Fell et al.	5,204,244	April 20, 1993
Donehower et al.	5,569,824	October 29, 1996
Lonberg et al.	5,569,825	October 29, 1996

Foreign Publications

<u>Publication No.</u>	<u>Publication Date</u>
AU-B-15172/95	July 10, 1995
EP 0 315 062	May 10, 1989
EP 0 322 240	June 28, 1989
EP 0 463 151	January 2, 1992
WO 90/04036	April 19, 1990
WO 91/00906	January 24, 1991
WO 91/10741	July 25, 1991
WO 92/03918	March 19, 1992
WO 93/05165	March 18, 1993
WO 94/00569	January 6, 1994
WO 96/33735	October 31, 1996

Other Documents

Albertsen, et al., Construction and characterization of a yeast artificial chromosome library containing seven haploid human genome equivalents," *Proc. Natl. Acad. Sci.*, 87:4256-4260 (1990).

Aldhous, "Transgenic mice display a class (switching) act," *Science* 262:1212-1213 (1993).

Ayares, et al., "Sequence homology requirements for intermolecular recombination in mammalian cells," *Proc. Natl. Acad. Sci. U.S.A.*, 83:5199-5203 (1986).

Berman, et al., "Content and organization of the human Ig V_H locus: definition of three new V_H families and linkage to the Ig C_H locus," *EMBO J.*, 7:727-738 (1988).

Bird, et al., "Single-Chain Antigen-Binding Proteins," *Science*, 243:423-426 (1988).

Blankenstein, et al., "Immunoglobulin V_H region genes of the mouse are organized in overlapping clusters," *Eur. J. Immunol.*, 17:1351-1357 (1987).

Brinster, et al., "Introns increase transcriptional efficiency in transgenic mice," *Proc. Natl. Acad. Sci. USA*, 85:836-840 (1988).

Brownstein, et al., "Isolation of single-copy human genes from a library of yeast artificial chromosome clones," *Science*, 244:1348-1351 (1989).

Brüggemann, et al., "Human antibody production in transgenic mice: expression from 100kb of the human IgH locus," *European Journal of Immunology*, 21:1323-1326 (1991).

Brüggemann, et al., "Construction, function and immunogenicity of recombinant monoclonal antibodies," *Behring Inst. Mitt.*, 87:21-24 (1990).

Burke, et al., "Cloning of large segments of exogenous DNA into yeast by means of artificial chromosome vectors," *Science*, 236:806-812 (1987).

Buttin, G., "Exogenous Ig gene rearrangement in transgenic mice: a new strategy for human monoclonal antibody production?," *Trends in Genetics*, 3:205-206 (1987).

Capeocchi, et al., "Altering the Genome by Homologous Recombination," *Science*, 244:1288-1292 (1989).

Choi, et al., "Transgenic mice containing a human heavy chain immunoglobulin gene fragment cloned in a yeast artificial chromosome," *Nature Genetics* 4:117-123 (1993).

Choi, et al., "RNA splicing generates a variant light chain from an aberrantly rearranged κ gene," *Nature* 286:776-779 (1980).

Davies, et al., "Targeted alterations in yeast artificial chromosomes for inter-species gene transfer," *Nuc. Acids Res.*, 20:2693-2698 (1992).

- Doelker, et al., "The CySF-L2 factor from dialysable human leucocyte extract activates natural killer cytotoxicity by induction of interferon γ ," *Cancer Immunology Immunotherapy*, 34:299-305 (1992).
- Doetschman, et al., "Targeted mutation of the *HPRT* gene in mouse embryonic stem cells," *Proc. Natl. Acad. Sci. USA*, 85:8583-8587 (1988).
- Eisen, Herman N., "Immunology: An Introduction to Molecular and Cellular Principles of the Immune Responses," 349-351 (2d ed. 1989).
- Eliceiri, et al., "Stable integration and expression in mouse cells of yeast artificial chromosomes harboring human genes," *Proc. Natl. Acad. Sci. USA*, 88:2179-2183 (1991).
- Emery, et al., "Humanised monoclonal Antibodies for Therapeutic Applications," *Expert Opinion on Investigational Drugs*, 3:241-251 (1994).
- Garza, et al., "Mapping the *Drosophila* genome with yeast artificial chromosomes with yeast artificial chromosomes," *Science*, 246:641-646 (1989).
- Gnirke, et al., "Cloning and *in vivo* expression of the human GART gene using yeast artificial chromosomes," *EMBO J*, 10(7):1629-1634 (1991).
- Green, L.L. et al., "Antigen-specific human monoclonal antibodies from mice engineered with human Ig heavy and light Chain YACs," *Nat. Genet.* 7:13-21 (1994).
- Griffiths, et al., "Isolation of high affinity human antibodies directly from large synthetic repertoires," *The EMBO Journal*, 13:3245-3260 (1994).
- Huxley, et al., "The Human *HPRT* gene on a yeast artificial chromosome is functional when transferred to mouse cells by cell fusion," *Genomics*, 9:742-750 (1991).
- Jakobovits, et al., "Germ-line transmission and expression of a human-derived yeast artificial chromosome," *Nature*, 362:255-258 (1993).
- James, et al., "Human Monoclonal Antibody Production: Current Status and Future Prospects," *Journal of Immunological Methods*, 100:5-40 (1987).
- Johnson, et al., "Targeting of Nonexpressed Genes in Embryonic Stem Cells Via Homologous Recombination," 245:1234-1236 (1989).

Joyner, et al., "Production of a mutation in mouse En-2 gene by homologous recombination in embryonic stem cells," *Nature*, 338:153-155 (1989).

Koller, et al., "Inactivating the β_2 -microglobulin locus in mouse embryonic stem cells by homologous recombination," *Proc. Natl. Acad. Sci.*, 86:8932-8935 (1989).

Kucherlapati, R., "Homologous recombination in mammalian somatic cells," *Prog. Nucleic Acids Res. Mol. Biol.*, 36:301-310 (1989).

Lenz, et al., "Expression of Heterobispecific Antibodies by Genes Transferred into Producer Hybridoma Cells," *Gene*, 87:213-218 (1990).

Liu et al., "Chimeric mouse-human IgG1 antibody that can mediate lysis of cancer cells," *Proc Natl Acad Sci USA*, 84:3439-3443 (1987).

Mansour, et al., "Disruption of the proto-oncogene *int-2* in mouse embryo-derived stem cells: a general strategy for targeting mutations to non-selectable genes," *Nature*, 336:348-352 (1988).

Matsuda, et al., "Structure and physical map of 64 variable segments in the 3'0.8- megabase region of the human immunoglobulin heavy-chain locus," *Nature Genetics*, 3:88-94 (1993).

Max, et al., "Sequences of five potential recombination sites encoded close to an immunoglobulin κ constant region gene," *Proc. Natl. Acad. Sci. USA*, 76:3450-3454 (1979).

Miller, et al., "Structural alterations in J regions of mouse immunoglobulin lambda genes are associated with differential gene expression," *Nature*, 295:428-430 (1982).

Morrison, S. "Success is Specification," *Nature*, 368:812-813 (1994).

Mortensen, et al., "Production of homozygous mutant ES cells with a single targeting construct," *Mol. Cell. Biol.*, 12(5):2391-2395 (1992).

Munker, et al., "Recombinant human TNF induces production of granulocyte-monocyte colony-stimulating factor," *Nature*, 323:79-82 (1986).

Orkin, et al., "Mutation in an intervening sequence splice junction in man," *Proc. Natl. Acad. Sci. USA*, 78:5041-5045 (1981).

Pachnis, et al., "Transfer of a yeast artificial chromosome carrying human DNA from *Saccharomyces cerevisiae* into mammalian cells," *Proc. Nat'l. Acad. Sci. USA*, 87:5109-5113 (1990).

Pavan, et al., "Modification and transfer into an embryonal carcinoma cell line of a 360-kilobase human-derived yeast artificial chromosome," *Mol. Cell. Biol.*, 10(8):4163-4169 (1990).

Queen, et al., "A humanized antibody that binds to the interleukin 2 receptor," *Proc. Natl. Acad. Sci. USA*, 86:10029-10033 (1989).

Rajewsky, et al., "Evolutionary and somatic selection of the antibody repertoire in the mouse," *Science*, 238:1088-1094 (1987).

Ramirez-Solis, et al., "Chromosome engineering in mice," *Nature*, 378:720-724 (1995).

Sakano, et al., "Identification and nucleotide sequence of a diversity DNA segment (D) of immunoglobulin heavy-chain genes," *Nature*, 290:562-565 (1981).

Sakano, et al., "Two types of somatic recombination are necessary for the generation of complete immunoglobulin heavy-chain genes," *Nature*, 286:676-683 (1980).

Sakano, et al., "Sequences at the somatic recombination sites of immunoglobulin light-chain genes," *Nature*, 280:288-294 (1979).

Schedl, et al., "A method for the generation of YAC transgenic mice by pronuclear microinjection," *Nucleic Acids Research*, 21:4783-4787 (1993).

Schedl, et al., "A yeast artificial chromosome covering the tyrosinase gene confers copy number-dependent expression in transgenic mice," *Nature*, 362:258-261 (1993).

Schedl et al., "Transgenic mice generated by pronuclear injection of a yeast artificial chromosome," 20:3073-3077 (1992).

Schwartzberg, et al., "Germ-line transmission of a *c-abl* mutation produced by targeted gene disruption in ES cells," 246:799-803 (1989).

Seidman, et al., "A Mutant immunoglobulin light chain is formed by aberrant DNA- and RNA-splicing events," *Nature*, 286:779-783 (1980).

Shimizu, et al., "Immunoglobulin double-isotype expression by trans-mRNA in a human immunoglobulin transgenic mouse," *Proc. Natl. Acad. Sci. USA*, 86:8020-8023 (1989).

Shin, et al., "Physical map of the 3' region of the human immunoglobulin heavy chain locus clustering of autoantibody-related variable segments in one haplotype," *EMBO J*, 10:3641-3645 (1991).

Strauss, et al., "Germ line transmission of a yeast artificial chromosome spanning the murine $\alpha_1(1)$ collagen locus," *Science* 259:1904-1907 (1993).

Thomas, et al., "Site-directed metagenesis by gene targeting in mouse embryo-derived stem cells," *Cell*, 51:503-512 (1987).

Traver, et al., "Rapid screening of a human genomic library in yeast artificial chromosomes for single-copy sequences," *Proc. Natl. Acad. Sci. USA*, 86:5898-5902 (1989).

Treisman, et al., "Specific transcription and RNA splicing defects in five cloned β -thalassaemia genes," 302:591-596 (1983).

Tucker, et al., "Mouse IgA heavy chain gene sequence: implications for evolution of immunoglobulin hinge exons," *Proc. Natl. Acad. Sci. USA*, 78:7684-7688 (1981).

Yancopoulos, et al., "Developmentally controlled and tissue-specific expression of unrearranged V_H gene segments," *Cell*, 40:271-281 (1985).

Zachau, "The human immunoglobulin κ locus and some of its acrobatics," *Biol. Chem.*, 371:1-6 (1990).

Zijlstra, et al., "Germ-line transmission of a disrupted $\beta 2$ -microglobulin gene produced by homologous recombination in embryonic stem cells," 342:435-438 (1989).

Applicants respectfully request that the above documents be (1) fully considered by the Examiner during the course of the examination of this application and (2) printed on any patent issuing from this application. Applicants also request that a

copy of the enclosed Form PTO-1449 duly initialed by the Examiner
be forwarded to the undersigned with the next communication.

Respectfully submitted,





Jane T. Gunnison (Reg. No. 27,794)
Attorney for Applicants
R. Minako Pazdera (Reg. No. 46,984)
Agent for Applicants

c/o FISH & NEAVE
Customer No. 1473
1251 Avenue of the Americas
New York, New York 10020-1104
Tel.: (212) 596-9000
Fax.: (212) 596-9090

**I Hereby Certify that this
Correspondence is being
Deposited with the U.S.
Postal Service as First
Class Mail in an Envelope
Addressed to:**

**COMMISSIONER FOR
PATENTS P.O. BOX 2007
ARLINGTON, VA 22202** on *September 24, 2002*

 *S. Spring* *for and on*


Signature of Person Signing